

BNM Never-Seez Black Moly Revision Date 19-Feb-2016 Supersedes Date: No information available

Version 1.02

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product Name Never-Seez Black Moly

Product Code BNM

Product(s) Covered

BNM1-FTC12 BLACK MOLY 12/1#FT NSB150 BNM35PP1 BLACK MOLY 35#PP NSB35B BNM425D1 BLACK MOLY 425#D NSB425B

#### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use No information available.
Uses Advised Against No information available

#### 1.3. Details of the Supplier of the Safety Data Sheet

#### **Company Name**

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075 Email: msds@bostik-us.com

#### 1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

#### 2.2. Label Elements

## **EMERGENCY OVERVIEW**

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical State Solid Odor Petroleum

**Precautionary Statements - Prevention** 

Revision Date 19-Feb-2016

Never-Seez Black Moly

Supersedes Date: No information available

Version 1.02

Not applicable

**Precautionary Statements - Response** 

Not applicable

**Precautionary Statements - Storage** 

Not applicable

**Precautionary Statements - Disposal** 

Not applicable

**Hazards Not Otherwise Classified (HNOC)** 

Not applicable

**Unknown Toxicity** 

3.25% of the mixture consists of ingredient(s) of unknown toxicity

#### 2.3. Other Information

No information available.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

#### **Mixtures**

	Chemical Name	CAS No	Weight-%
Molybd	enum(IV) sulfide	1317-33-5	10 - 30
Zinc ox	de	1314-13-2	5 - 10

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## **Section 4: FIRST AID MEASURES**

## 4.1. Description of First Aid Measures

General Advice Remove and isolate contaminated clothing and shoes. If medical advice is needed, have

product container or label at hand.

Eye contact In case of contact with substance, immediately flush skin or eyes with running water for at

least 20 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

**Inhalation** Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration.

Administer oxygen if breathing is difficult.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce

vomiting.

Self-protection of the First Aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

Revision Date 19-Feb-2016

Never-Seez Black Moly

Supersedes Date: No information available

Version 1.02

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** Treat symptomatically.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

### Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

#### **Suitable Extinguishing Media**

Dry chemical, CO2, water spray or regular foam. Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal.

#### **Unsuitable Extinguishing Media**

Do not scatter spilled material with high pressure water streams.

#### 5.2. Special Hazards Arising from the Substance or Mixture

#### **Specific Hazards Arising from the Chemical**

Some may burn but none ignite readily. Those substances designated with a "P" may polymerize explosively when heated or involved in a fire. Some may be transported hot.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### 5.3. Advice for Firefighters

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Do not touch or walk through spilled material. Stop leak if you can do it without risk. Avoid

inhalation of asbestos dust.

6.2. Environmental Precautions

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas.

### 6.3. Methods and Material for Containment and Cleaning up

**Methods for Containment** Prevent dust cloud.

Methods for Cleaning up Take up with sand or other non-combustible absorbent material and place into containers

for later disposal. With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

BNM Revision Date 19-Feb-2016
Never-Seez Black Moly Supersedes Date: No information available

Version 1.02

Section 7: HANDLING AND STORAGE Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

**Incompatible Materials**None known based on information supplied.

7.3. Specific End Use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Molybdenum(IV) sulfide	TWA: 10 mg/m <sup>3</sup> Mo	IDLH: 5000 mg/m <sup>3</sup> Mo	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
1317-33-5	inhalable fraction	_	_	STEL: 20 mg/m <sup>3</sup>
	TWA: 3 mg/m <sup>3</sup> Mo respirable			-
	fraction			
Zinc oxide	STEL: 10 mg/m³ respirable	IDLH: 500 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> fume	TWA: 5 mg/m <sup>3</sup>
1314-13-2	fraction	Ceiling: 15 mg/m <sup>3</sup> dust	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
	TWA: 2 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> dust and	TWA: 5 mg/m³ respirable	STEL: 10 mg/m <sup>3</sup>
	fraction	fume	fraction	
		STEL: 10 mg/m <sup>3</sup> fume		

Chemical Name	Argentina	Brazil	Chile	Venezuela
Molybdenum(IV) sulfide	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-33-5	TWA: 3 mg/m <sup>3</sup>		_	TWA: 3 mg/m <sup>3</sup>
Zinc oxide	TWA: 5 mg/m <sup>3</sup>	-	TWA: 4 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
1314-13-2	TWA: 10 mg/m <sup>3</sup>		_	TWA: 2 mg/m <sup>3</sup>
	STEL: 10 mg/m <sup>3</sup>			TWA: 10 mg/m <sup>3</sup>

#### 8.2. Exposure Controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Revision Date 19-Feb-2016 Supersedes Date: No information available **Never-Seez Black Moly** 

Version 1.02

Personal protective equipment [PPE]

**Respiratory Protection** 

**Eye/Face Protection** Tight sealing safety goggles.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only **Skin and Body Protection** 

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

**Physical State** Solid **Appearance** Paste Color Grev Petroleum Odor

**Odor Threshold** No information available

**Property** Values Remarks • Method

No information available pН No information available **Melting Point/Freezing Point Boiling Point** No information available 246 °C / 474.8 °F **Flash Point Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper Flammability Limit** No information available **Lower Flammability Limit** No information available **Vapor Pressure** No information available **Vapor Density** No information available **Specific Gravity** No information available Water Solubility No information available

Solubility in Other Solvents

**Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available **Kinematic Viscosity** No information available **Dynamic Viscosity** No information available **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other Information

**Softening Point** No information available Molecular Weight No information available **Solvent Content (%)** No information available

Solid Content (%) 100.0 1.240 g/cm<sup>3</sup> **Density** 

No information available VOC

#### Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical Stability

Revision Date 19-Feb-2016

Never-Seez Black Moly

Supersedes Date: No information available

Version 1.02

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing. **10.4. Conditions to Avoid** 

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

None known based on information supplied.

10.6. Hazardous Decomposition Products

None known based on information supplied.

### Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on Toxicological Effects

Product InformationNo Data AvailableInhalationNo Data AvailableEye contactNo Data AvailableSkin ContactNo Data AvailableIngestionNo Data Available

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Molybdenum(IV) sulfide	-	=	> 2820 mg/m³ (Rat) 4 h
1317-33-5			
Zinc oxide	> 5000 mg/kg (Rat)	-	-
1314-13-2			

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Symptoms** No information available. Skin Corrosion/Irritation No information available. Serious Eye Damage/Eye Irritation No information available. No information available. Irritation No information available. Corrosivity Sensitization No information available. No information available. **Germ Cell Mutagenicity** No information available. **Reproductive Toxicity Developmental Toxicity** No information available. **Teratogenicity** No information available. STOT - Single Exposure No information available. **STOT - Repeated Exposure** No information available. **Chronic Toxicity** No information available. **Target Organ Effects** Respiratory system. **Aspiration Hazard** No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

#### Section 12: ECOLOGICAL INFORMATION

BNM Never-Seez Black Moly Revision Date 19-Feb-2016
Supersedes Date: No information available

Version 1.02

12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Zinc oxide		LC50 (96h) =0.7 mg/L Fish		
1314-13-2		(Danio rerio)		

#### 12.2. Persistence and Degradability

No information available.

#### 12.3. Bioaccumulative Potential

No information available.

#### 12.4. Mobility in Soil

No information available.

#### 12.5 Other adverse effects

No information available

### Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

### Section 14: TRANSPORT INFORMATION

DOTNot regulatedIATANot regulatedIMDGNot regulated

## Section 15: REGULATORY INFORMATION

## **Global Inventories**

TSCA	Listed
DSL	Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

BNM Never-Seez Black Moly Revision Date 19-Feb-2016
Supersedes Date: No information available

Version 1.02

10.0.0.1

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

#### **WHMIS Hazard Class**

Non-controlled

#### **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No
Zinc oxide	1314-13-2

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **California Proposition 65**

This product does not contain one or more substances listed on Proposition 65 at or above 0.01 wt. %.

## **Europe**

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Section 16: OTHER INFORMATION

HMIS Health Hazards 1 Flammability 1 Physical Hazards 0 Personal Protection X

#### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

#### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 19-Feb-2016

Revision Note Not applicable.

Training Advice No information available

BNM Never-Seez Black Moly Revision Date 19-Feb-2016
Supersedes Date: No information available

Version 1.02

**Further information** 

No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**